

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Highw	ay Patrol as soon as all defects are correct	ed.											
	actions to OPI from School District: s bus has been sold, retired, or is no longe		rice Plea	se i	delete it fr	om OPI	's records						
	ease make corrections noted below. Don't							ection					
OPI County # and County Name				District Name									
	26 Liberty							J-I K-12	School	e			
Vehic	le I.D. # (VIN) - Entire Number		Mod	el Y	'ear	Licen		J-1 K-12		Sapacity	****		
VCITIC	. ,		IVIOG			Liccii			raicu	Зарасну			
Chan	1BGHG35K6TF100863 sis Make				96 Body Mal		B176	Bus Type	o: (coo 2 f	or dofini	16		
Chas	sis iviakė				Бойу імаі	(e		• • •	,		•		
	Chevrolet						ther	✓ A	□В	□ C			
Whee	el Chair Lift Equipped?	Whe	el Chair L	ift E	Equipped?	•							
☐ Ye	es 🗹 No	□ F	orward	Fa	acing	Aisl	e Facing 🔛 🗹 N	ot Applic	able				
Туре	of Fuel:	Is B	us: 🔲 🛭	Distr	rict Owned	✓ C	ontractor Owned If co	ntractor ov	vned, con	tractor's	name	is:	
✓ G	as □ Diesel □ Other						D M A						
<u>.</u>	as Dieser Other						R M Aut	0					
					_	CTION	0111111111 DATE 01						
	This			.ED			GHWAY PATROL						
	Inis	inspect	ion is for:	امما	_	t semes	ster 2nd semes	ster			Ann	. roud	
Page	Items listed in the Standards	Yes	Appro No 1	vea NA	Corr	Page	Items listed in t	the Standa	rde	Yes	No No	roved NA	Corr
No.*	for School Buses in Montana	163		*	Con	No.*	for School Bus			163	INO	**	Con
C17	Identification - front					C34	Belt cutter **** attach	ed				1	
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	Floor						-
C18	Red amber signals - front Marker lamps - front		 			C9 Aisle			_	_			
C18	Windshield		 			C22 Tools - storage C24 Windows			+	+			
C24	Windshield wipers					C13 Warning device		+	1				
C20	Exterior mirrors					C13 Buzzer emergency door			1	1			
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -						
C11	Service door					C18	Turn signal lamps - re	ear				<u> </u>	_
C6 C6	Head lamp indicator Horn		 			C18	Stop lamps Marker lamps - rear					_	-
C20	Interior mirror					C19	Strobe light - rear ***					+	-
C6	Speedometer					C17	Identification - rear					1	+
C2	Brakes					C4	Exhaust system (no le	eaks)				1	
C21	Driver seat belt					C5	Fuel tank						
C7	Steering gear					C7	Tires (2/32" rear - 4/3	2" front mii	n.)			<u> </u>	
C13	Fire extinguisher (5 lbs)					000	Cleanliness						-
C13	First aid kit Body fluids kit					C22 C5	Stop arm No trailer hitch					┼	-
C11	Defroster Defroster					03	Required by forest r	egulation:				+	+
C6	Heaters						Shovel (securely faste	_				1	+
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene						1
	umber reference, Standards for School Buses in Not apply. ***New buses ordered after 08/15/02.**										driver.		
On fi	rst inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspe	cting Patrol Officer:					Inspe	cting Patrol Officer:						
						Badge No Date							
Signa	ture of District Official					Date							
											TR-1	3 Revis	ed 11/04



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 26 Liberty J-I K-12 Schools Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1GBJ6P1F5KV113225 1989 **B172** Bus Type: (see ? for definition) Chassis Make Body Make ПА □в ✓ C \Box D Ward Chevrolet Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Not Applicable ☐ Forward Facing ☐ Aisle Facing Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other R M Auto INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page Items listed in the Standards Items listed in the Standards No Yes No NA Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 Defroster C11 Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened)

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On mist mapection, this bus is.		On remspection, this bus is.				
Approved		Approved				
Not Approved		Not Approved				
Inspecting Patrol Officer:		Inspecting Patrol Officer:				
Badge No.	Date	Badge No.	Date			
Signature of District Official		Date				



Linda McCulloch, Superintendent Office of Public Instruction PO Box 202501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 26 Liberty J-I K-12 Schools Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1GBL7T1J1TJ111564 1997 **B175** Bus Type: (see ? for definition) Chassis Make Body Make \square A \square B ✓ C \Box D **Bluebird** Chevrolet Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other RM Auto Repair, INC INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 C10 Color Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer: Date Date Badge No. Date

Signature of District Official

TR-13 Revised 11/04



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name 26 Liberty J-I K-12 Schools Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 1GDJ6P1G6KV504576 1989 **B171** Bus Type: (see ? for definition) Chassis Make Body Make Пв ПА ✓ C \Box D Ward **GMC** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ✓ Not Applicable ☐ Forward Facing ☐ Aisle Facing Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: ✓ Gas Diesel Other R M Auto INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door Head lamp indicator C18 Stop lamps C6C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04

Date



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Highw	ay Patrol as soon as all defects are correct	ed.		- ,									
	ections to OPI from School District:												
	s bus has been sold, retired, or is no longe ase make corrections noted below. Don't							raction					
	County # and County Name	DIACK OL	it the er	ioi, Or	Tillay III	District Name							
,				Biotin									
Vobio	26 Liberty		Ma	del Ye	or.	Licen		J-I K-12	Schools Rated C		, ****		
venic	le I.D. # (VIN) - Entire Number		IVIC	oder re	aı	Licen	Se #		Raied C	араспу	′		
	8599			199			B173		, ,,		47		
Chas	sis Make				Body Mal	ке		Bus Type	•		ition)		
	Chevrolet					Blu	ebird	\Box A	□В	✓ C	\Box D		
Whee	el Chair Lift Equipped?	Whe	el Chai	r Lift E	quipped?)							
☐ Ye	es 🗹 No	□ F	orwar	d Fac	ing	☐ Aisl	e Facing 🔽 N	ot Applica	able				
Туре	of Fuel:	Is B	us:	Distric	t Owned	d 🗸 Co	ontractor Owned If co	ontractor ow	ned, cont	tractor's	name	is:	
□G	as ☑ Diesel ☐ Other						DM Auto Don	oir INC					
					INIODE		RM Auto Rep	air, inc					
		тс) BE FI	LLED (CTION	GHWAY PATROL						
	This	inspect				t semes		ster					
			App	roved							Арр	roved	
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach		ша				
C18	Head lamps					C18	Interior lamps	100				<u> </u>	
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14							
C18	Red amber signals - front Marker lamps - front					C22	C9 Aisle C22 Tools - storage				-		
C18	Windshield					C24	Windows						
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency d	oor					
C3	Battery Congretor or olternator				1	C12	Emergency door	****					
C4 C11	Generator or alternator Service door					C18	Red amber signals - Turn signal lamps - re						
C6	Head lamp indicator				1	C18	Stop lamps	Cai					
C6	Horn						Marker lamps - rear						
C20	Interior mirror						Strobe light - rear ***						
C6	Speedometer						Identification - rear						
C2	Brakes					C4	Exhaust system (no	eaks)					
C21	Driver seat belt				1	C5	Fuel tank	Oll fue at as :	. \			-	
C7 C13	Steering gear Fire extinguisher (5 lbs)				+	C7	Tires (2/32" rear - 4/3 Cleanliness	32" Iront mir	1.)				
C13	First aid kit				1	C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster						Required by forest	regulation:					
C6	Heaters						Shovel (securely fast	ened)					
C20	Wheelchair forward facing (post 1993)			<u> </u>			Axe (securely fastene	,		<u> </u>	<u> </u>		
	umber reference, Standards for School Buses in Not apply. ***New buses ordered after 08/15/02.**										driver.		
	est inspection, this bus is:						inspection, this bus						
	Approved						Approved						
	Not Approved						Not Approved						
Inspec	cting Patrol Officer:					Inspec	cting Patrol Officer:						
Badge	. No.	Date			_	Badge No. Date							
	ture of District Official					Date				_4.0_			
- igila	and the State of Holds												



Date

Signature of District Official

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Chester Public Schools** 26 Liberty Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1684 2003 108 Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door Head lamp indicator C18 Stop lamps C6C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus. On first inspection, this bus is: On reinspection, this bus is: Approved Approved Not Approved Not Approved Inspecting Patrol Officer: Inspecting Patrol Officer:

Badge No.

Date

TR-13 Revised 11/04

Date



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

riigiiw	Highway Patrol as soon as all defects are corrected.												
	Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.												
☐ Ple	ase make corrections noted below. Don't	black o	ut the er	ror, O	PI may ne	eed to re	ead it to make the corre	ection.					
OPI C	County # and County Name					District Name							
	26 Liberty						Che	ster Pub	olic Sch	nools			
Vehic	le I.D. # (VIN) - Entire Number		Мо	del Y	ear	Licen				Capacity	/ ****		
	1BAAEC5HIJF082310			198	38		A805				48		
Chass	sis Make		•		Body Mal	ке		Bus Type	: (see ? f	or defin	ition)		
	Bluebird					Blu	ebird	□ A [□в	□с	✓ D		
Whee	Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?)							
☐ Ye	es 🗹 No		orwar	d Fa	cing	☐ Aisl	e Facing 🔽 N	ot Applica	able				
Туре	of Fuel:	Is B	us:	Distri	ct Owned	√ C	ontractor Owned If co	ontractor ow	ned, con	tractor's	name	is:	
□ G	as 🗹 Diesel 🗌 Other						Tiber Trad	ctor					
						OTION	TIDEL ITAL	CLOI					
		т/	S DE EII	IED		CTION	GHWAY PATROL						
	This		tion is fo		_	t semes		ster					
		Порос		oved			2110 0011100	5.01			App	roved	
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach					+-	
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior					1	
C18	Turn signal lamps - front					C21	Seating					1	
C18	Turn signal lamps - side (post 1987)					C14	Floor					1	
C18	Red amber signals - front					C9	Aisle					1	
C18	Marker lamps - front					C22 Tools - storage		1					
C18	Windshield					C24	Windows						
C24	Windshield wipers					C13 Warning device							
C20	Exterior mirrors					C13	Buzzer emergency do	oor				Ί	
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -	rear					
C11	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator					C18	Stop lamps						
C6	Horn					C18	Marker lamps - rear						
C20	Interior mirror					C19	Strobe light - rear ***					↓	
C6	Speedometer					C17	Identification - rear					<u> </u>	
C2	Brakes					C4	Exhaust system (no le	eaks)				↓	
C21	Driver seat belt					C5	Fuel tank	0" (, ;	`			-	
C7	Steering gear			-		C7	Tires (2/32" rear - 4/3	∠ iront mir	1.)	1		+-	
	Fire extinguisher (5 lbs)					C22	Cleanliness					 	
C13	First aid kit Body fluids kit					C22	Stop arm No trailer hitch					 	
C11	Defroster Defroster					Co		ogulation				┼──	
C6	Heaters						Required by forest r Shovel (securely faste					+	
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene					+	
	umber reference, Standards for School Buses in	Montana	(2002 Fdi	tion)	****Bus dri	vers are r			tter attache	ed nearby	driver		I
Does r	not apply. *New buses ordered after 08/15/02.*	****Based	d on origin	al cap	acity listed	on the m	anufacturers certification t	ag found insi	de the bus	i			
On fi	st inspection, this bus is:					On ro	einspection, this bus	ie.					
	Approved					l	Approved						
	Not Approved						Not Approved						
	eting Patrol Officer:						cting Patrol Officer:						
Badge	<u></u>	Date					No.			Date			
	ure of District Official				•	Date				_			
J. 91101													



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Highw	Highway Patrol as soon as all defects are corrected.														
	Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.														
	s bus has been sold, retired, or is no longe ase make corrections noted below. Don't l							oction							
	County # and County Name	DIACK OU	t tile ell	oi, Or	Tillay III		ct Name	ection.							
	00.1.15 auto						01.		O.L						
Vahio	26 Liberty		Ma	del Ye	or	Lioon		ester Pub	Rated C		, ****				
venic	le I.D. # (VIN) - Entire Number		IVIO	dei Ye	ear	Licen	se #		Rated C	apacity	,				
	1FDNB80C8TVA27488			199	96		A806				41				
Chas	sis Make			E	Body Mal	ке		Bus Type	: (see ? fo	or defin	ition)				
	Ford					Other									
Whee	el Chair Lift Equipped?	Whe	el Chair	Lift E	quipped?)									
☐ Yes ☑ No ☐ Forward Facing			cing [☐ Aisl	e Facing 🔽 N	ot Applica	able								
Туре	of Fuel:	Is Bu	IS:	Distric	ct Owned	d ✓ Contractor Owned If contractor owned, contractor's name is:									
□G	as ☑ Diesel ☐ Other						Tile en Tue	-4							
	do E Diesei E Cuiei						Tiber Tra	ctor							
	INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL														
	TO BE FILLED OUT BY THE HIGHWAY PATROL This inspection is for: 1st semester 2nd semester														
	11110	пороси	Appro			Como	Zila sellie.	otoi			App	roved			
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in			Yes	No	NA	Corr		
No.*	for School Buses in Montana			**		No.*	for School Bus		ana			**			
C17	Identification - front					C34	Belt cutter **** attach	ed							
C18	Head lamps Color					C18	Interior lamps Ceiling - interior					 			
C18	Turn signal lamps - front					C21	Seating					 			
C18	Turn signal lamps - side (post 1987)					C14 Floor									
C18	Red amber signals - front					C9 Aisle									
C18	Marker lamps - front					C22 Tools - storage									
C18	Windshield					C24 Windows									
C24	Windshield wipers					C13	Warning device								
C20	Exterior mirrors					C13	Buzzer emergency do	oor							
C3	Battery					C12	Emergency door					-			
C4 C11	Generator or alternator Service door					C18 C18	Red amber signals -								
C6	Head lamp indicator					C18	Turn signal lamps - re Stop lamps	Z ai							
C6	Horn						Marker lamps - rear						1		
C20	Interior mirror						Strobe light - rear ***								
C6	Speedometer						Identification - rear								
C2	Brakes					C4	Exhaust system (no l	eaks)							
C21	Driver seat belt					C5	Fuel tank								
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front mir	າ.)						
C13	Fire extinguisher (5 lbs)					000	Cleanliness								
C13	First aid kit Body fluids kit					C22 C5	Stop arm No trailer hitch								
C13	Defroster Defroster					CS	Required by forest r	equiation:				-	1		
C6	Heaters						Shovel (securely fast						1		
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene								
*Page ni	umber reference, Standards for School Buses in Not apply. ***New buses ordered after 08/15/02.**						equired to wear lap/should	der belts - cu			driver.		•		
		24304	J Origin	supe	, 110100										
	st inspection, this bus is:						inspection, this bus	IS:							
	Approved Not Approved						Approved Not Approved								
							• •								
mspec	Inspecting Patrol Officer:						cting Patrol Officer:								
	Badge No Date					Badge No Date									
Signa	ignature of District Official					Date									



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Chester Public Schools** 26 Liberty Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 1FDNJ75C1NVA31116 1992 **808A** Bus Type: (see ? for definition) Chassis Make Body Make \Box A \Box B ✓ C \Box D **Bluebird** Ford Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: District Owned Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other Tiber Tractor INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards Items listed in the Standards No NA Yes No Yes Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 Stop lamps C6Head lamp indicator C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:

Approved
Not Approved
Inspecting Patrol Officer:

Badge No.

Date

Badge No.

Date

Date

Date

Date



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Highw	ay Patrol as soon as all defects are correc	ted.												
Instru	Instructions to OPI from School District:													
Thi	s bus has been sold, retired, or is no longe	er in serv	ice. Pl	ease d	elete it fr	om OPI	's records.							
☐ Ple	ase make corrections noted below. Don't	black ou	ut the er	ror, OF	PI may ne	eed to re	ead it to make the corr	ection.						
OPI C	County # and County Name					Distri	ct Name							
	00.1.11						01.							
) / - l- ' -	26 Liberty			-1-13/-		1.1		ester Publ			. ++++			
Venic	le I.D. # (VIN) - Entire Number		IMC	odel Ye	ar	Licen	se #		Rated C	Japacity	,			
	1FDPJ75C1PVA35940			199	3		A807				47			
Chas	sis Make				Body Mal	ке		Bus Type:	(see ? fe	or defini	tion)			
					-			\Box A \Box	∃в [✓ C	\Box D			
\A/l	Ford	\ \\ \/ \	al Ohai	. I :#4 F	quipped?	Didebild								
vvnee	el Chair Lift Equipped?	vvne	ei Chai	LIITE	quippea?	•								
☐ Ye	es 🗹 No	□ F	orwar	d Fac	ing	Aisl	e Facing 🛮 🗹 N	ot Applica	ble					
Туре	of Fuel:	Is B	us:	Distri	ct Owned	l √ C	ontractor Owned If co	ontractor owr	ned, con	tractor's	name	is:		
□G	as ☑ Diesel ☐ Other													
_ G	as 🗷 Diesei 🗆 Othei						Tiber Tra	ctor						
					INSPE	CTION								
	TO BE FILLED OUT BY THE HIGHWAY PATROL													
	This	inspect			1s	t semes	ster 2nd seme	ster						
	1. 1	I.		roved	10	-	I 10 11 11 11	0		I.v		roved		
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr	
C17	Identification - front	1			-	C34	Belt cutter **** attach		ıa			+		
C18	Head lamps					C18	Interior lamps	eu				+		
C10	Color					C18	Ceiling - interior					+		
C18	Turn signal lamps - front				1	C21	Seating					†		
C18	Turn signal lamps - side (post 1987)		C14 Floor								1			
C18	Red amber signals - front				C9 Aisle									
C18	Marker lamps - front					C22	Tools - storage							
C18	Windshield		C24 Windows											
C24	Windshield wipers		C13 Warning device							Ļ				
C20	Exterior mirrors					C13	Buzzer emergency de	oor				├		
C3	Congretor or alternator					C12 C18	Emergency door Red amber signals -	roor				+		
C4 C11	Generator or alternator Service door	1	1		-	C18	Turn signal lamps - re					+		
C6	Head lamp indicator					C18	Stop lamps	Jai				+		
C6	Horn					C18	Marker lamps - rear					+		
C20	Interior mirror					C19	Strobe light - rear ***							
C6	Speedometer					C17	Identification - rear							
C2	Brakes					C4	Exhaust system (no l	eaks)						
C21	Driver seat belt					C5	Fuel tank					↓		
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front min.	.)			—		
C13	Fire extinguisher (5 lbs)				-	000	Cleanliness					—		
C13	First aid kit Body fluids kit					C22 C5	Stop arm No trailer hitch					+		
C11	Defroster Defroster					03	Required by forest r	equiation:				+		
C6	Heaters	1			1		Shovel (securely fast	_				+		
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	,				+		
*Page ni	umber reference, Standards for School Buses in						equired to wear lap/shoul	der belts - cutt			driver.		1	
	not apply. ***New buses ordered after 08/15/02.*													
On fi	st inspection, this bus is:					On re	einspection, this bus	is:						
	Approved						Approved							
	Not Approved						Not Approved							
Inspec	eting Patrol Officer:					Inspe	cting Patrol Officer:							
-									-				· <u></u>	
	Badge No Date					Badge	9 NO			Date				
Signa	ture of District Official					Date								



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Highw	Highway Patrol as soon as all defects are corrected.												
	Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records.												
	s bus has been sold, retired, or is no longe ase make corrections noted below. Don't							oction					
	County # and County Name	DIACK OC	it the er	101, 01	Tillay III		ct Name	ection.					
	26 Liberty						Che	ester Pub	lic Sch	oole			
Vehic	le I.D. # (VIN) - Entire Number		Mc	del Ye	ar	Licen		Sier Fub	Rated C		, ****		
				400			4040						
Chass	1HVBAZRM8NH422990 sis Make			199	Body Mal	(A	A810	Bus Type	· (see ? fo	or defini	47		
Cilas	ois iviane			'	ouy iviai	\C			•				
	International						ther	□ A [В	✓ C	∐ D		
Whee	l Chair Lift Equipped?	Whe	el Chai	r Lift Ed	quipped?	•							
☐ Ye	es 🗹 No	☐ F	orwar	d Fac	ing	Aisl	e Facing 🛮 🗹 N	ot Applica	able				
Type of Fuel: Is Bus: District Ov				t Owned	Co	ontractor Owned If co	ontractor ow	ned, cont	ractor's	name	is:		
□G	as ☑ Diesel ☐ Other						Tiber Tra	ctor					
	Tibel Tractor												
	INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL												
	This inspection is for: ☐ 1st semester ✓ 2nd semester												
	Approved Approved												
Page No.*	Items listed in the Standards for School Buses in Montana	Yes	No	NA **	Corr	Page No.*	Items listed in for School Bus			Yes	No	NA **	Corr
C17	Identification - front					C34	Belt cutter **** attach		ii ia				
C18	Head lamps					C18	Interior lamps					1	
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21 Seating							
C18	Turn signal lamps - side (post 1987)					C14 Floor							
C18	Red amber signals - front				-	C9 Aisle							
C18	Marker lamps - front Windshield				+	C22 Tools - storage C24 Windows							
C24	Windshield wipers				+	C13	Warning device						
C20	Exterior mirrors					C13	Buzzer emergency de	oor					
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -						
C11	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator				 	C18	Stop lamps					-	
C6 C20	Horn Interior mirror				+		Marker lamps - rear Strobe light - rear ***						
C6	Speedometer				+		Identification - rear					 	
C2	Brakes				1	C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5	Fuel tank	,					
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front min	ı.)				
C13	Fire extinguisher (5 lbs)						Cleanliness						
C13	First aid kit				-	C22	Stop arm						
C13	Body fluids kit Defroster				+	C5	No trailer hitch Required by forest i	rogulation:					
C6	Heaters				+		Shovel (securely fast						
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene						
*Page ni	umber reference, Standards for School Buses in Not apply. ***New buses ordered after 08/15/02.**						equired to wear lap/shoul	der belts - cut		d nearby	driver.	•	•
		Dusel	on ongli	.а. оара	ony noted				uic bus.				
	st inspection, this bus is:						einspection, this bus	IS:					
	Approved Not Approved						Approved Not Approved						
	cting Patrol Officer:						cting Patrol Officer:						
-	· •					-	_						
Badge		Date				Badge	e No			Date			
Signa	Signature of District Official					Date							



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Highw	ay Patrol as soon as all defects are correc	ted.											
	actions to OPI from School District s bus has been sold, retired, or is no longe	="	vice. Ple	ease d	elete it fr	om OPI	's records.						
	ase make corrections noted below. Don't	black ou	ut the er	ror, OF	PI may ne			ection.					
OPI C	County # and County Name					Distri	ct Name						
	26 Liberty						Che	ester Pub					
Vehic	le I.D. # (VIN) - Entire Number		Mo	del Ye	ar	Licen	se#		Rated C	Capacity	, ****		
	2433			197	'8		A811				48		
Chas	sis Make		<u> </u>		Body Mal	ке	7.0	Bus Type	: (see ? f	or defini			
	International					Bluebird □ A □ B ☑ C □ D							
Whee	el Chair Lift Equipped?	Whe	el Chair	· Lift E	quipped?		lebila						
□ Ye							o Fooing	ot Applied	abla				
		_	orwar					ot Applica					
• •	of Fuel:	IS B	us:	DISTRIC	ct Owned	1 V C	ontractor Owned If co	ontractor ow	nea, con	tractors	name	is:	
✓ G	as \square Diesel \square Other						Tiber Tra	ctor					
					INSPE	CTION							
					OUT BY	THE HI	GHWAY PATROL						
	This	inspect			1s	t semes	ster 2nd semes	ster					
Page	Items listed in the Standards	Yes	Appr No	oved NA	Corr	Page	Items listed in	the Standa	·dc	Yes	App No	roved NA	Corr
No.*	for School Buses in Montana	163	INO	**	Con	No.*	for School Bus			163	INO	**	Con
C17	Identification - front					C34	Belt cutter **** attach	ed					
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)		<u> </u>			C14 C9	Floor Aisle						-
C18	Red amber signals - front Marker lamps - front					C22 Tools - storage							
C18	Windshield					C24	Windows						
C24	Windshield wipers					C13	Warning device						
C20	Exterior mirrors		1			C13	Buzzer emergency de	oor					1
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -	rear					
C11	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator					C18	Stop lamps						
C6	Horn					C18	Marker lamps - rear						
C20 C6	Interior mirror Speedometer					C19 C17	Strobe light - rear *** Identification - rear						
C2	Brakes					C4	Exhaust system (no l	eaks)					
C21	Driver seat belt					C5	Fuel tank	cans					
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front mir	1.)				
C13	Fire extinguisher (5 lbs)						Cleanliness						
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster		<u> </u>				Required by forest r						-
C6 C20	Heaters Wheelchair forward facing (post 1993)						Shovel (securely fast Axe (securely fastene						
	umber reference, Standards for School Buses in	Montana	(2002 Ed	tion). *	***Bus dri	vers are i	,	,	ter attache	d nearby	driver.		
	not apply. ***New buses ordered after 08/15/02.*												
On fi	rst inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
	Not Approved						Not Approved						
Inspe	specting Patrol Officer:					Inspe	cting Patrol Officer:						
Badge	adge No. Date					Badge	e No.			Date			
	ture of District Official					Date							
Jigila	J. Blothot Gilloldi					Jule							



C6

C20

Heaters

Wheelchair forward facing (post 1993)

Linda McCulloch, Superintendent
Office of Public Instruction
PO Box 202501
Holona, MT 59620-2501

MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Chester Public Schools** 26 Liberty Vehicle I.D. # (VIN) - Entire Number Model Year Rated Capacity ***** License # 2656 2002 54 40 Bus Type: (see ? for definition) Chassis Make Body Make ПА \square B \Box C **✓** D **Bluebird Bluebird** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: Gas ✓ Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved Page NΑ Items listed in the Standards No Items listed in the Standards Yes No Yes NA Corr Page Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps Color C18 C10 Ceiling - interior Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C18 C14 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door Battery C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C18 C6Head lamp indicator Stop lamps C18 C6 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 Defroster C11 Required by forest regulation:

*Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:		On reinspection, this bus is:					
Approved		Approved					
Not Approved		Not Approved					
Inspecting Patrol Officer:		Inspecting Patrol Officer:					
Badge No.	Date	Badge No.	Date				
Signature of District Official		Date					

Shovel (securely fastened)

Axe (securely fastened)



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

Highw	ay Patrol as soon as all defects are correc	ted.											
	actions to OPI from School District s bus has been sold, retired, or is no longe	-	/ice. Ple	ase d	elete it fr	om OPI	's records.						
☐ Ple	ase make corrections noted below. Don't	black ou	ut the err	or, OF	PI may ne	eed to re	ead it to make the corr	ection.					
OPI (County # and County Name					Distri	ct Name						
	20 Liberty						Cha	atan Duk	lia Cab				
Vobio	le I.D. # (VIN) - Entire Number		Ma	del Ye	or	Licen		ester Pub			, ****		
venic	ie i.D. # (VIN) - Entile Number		IVIO	uei re	aı	Licen	se #		Raied C	Capacity ****			
	3972			198	39		33				40		
Chas	sis Make			Е	Body Mal	се		Bus Type	: (see ? fo	or defini	ition)		
	Dlankind					DI.	اماء الما	\Box A	□в [□с	✓ D		
Whee	Bluebird el Chair Lift Equipped?	W/he	al Chair	Lift F	quipped?		ebird						
	es 🗹 No	_	orward	d Fac	cing l	_ Aisl	e Facing 🗹 🗹 N	ot Applica	able				
Туре	of Fuel:	Is B	us: 🗸	Distri	ct Owned	_ C	ontractor Owned If co	ontractor ow	ned, cont	tractor's	name	s:	
\square G	as ☑ Diesel ☐ Other												
		T	S DE EII	LED	_	CTION	GHWAY PATROL						
	This		ion is for			t semes		etar					
	THE	порсс	Appr			Comico	Ster Pla Series	3101			Ann	roved	
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in	the Standa	rds	Yes	No	NA	Corr
No.*	for School Buses in Montana			**		No.*	for School Bus	es in Monta	ana			**	
C17	Identification - front					C34	Belt cutter **** attach	ed					
C18	Head lamps					C18	Interior lamps					ــــــ	
C10	Color					C18	Ceiling - interior					₩	
C18	Turn signal lamps - front	-				C21 Seating C14 Floor						₩	-
C18	Turn signal lamps - side (post 1987) Red amber signals - front					C9 Aisle						+-	
C18	Marker lamps - front					C22	Tools - storage					+-	
C18	Windshield					C24 Windows					+-		
C24	Windshield wipers	1				C13 Warning device						1	
C20	Exterior mirrors					C13	Buzzer emergency de	oor					
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -					ــــــ	
C11	Service door					C18	Turn signal lamps - re	ear				—	
C6 C6	Head lamp indicator Horn					C18	Stop lamps Marker lamps - rear			-		┼	
C20	Interior mirror					C19	Strobe light - rear ***					\vdash	
C6	Speedometer					C17	Identification - rear					+	
C2	Brakes					C4	Exhaust system (no l	eaks)				†	
C21	Driver seat belt					C5	Fuel tank						
C7	Steering gear					C7	Tires (2/32" rear - 4/3	32" front mir	า.)				
C13	Fire extinguisher (5 lbs)					000	Cleanliness					 	
C13	First aid kit Body fluids kit	1				C22 C5	Stop arm No trailer hitch					┼	
C13	Defroster	+				Co	Required by forest r	equiation:				\vdash	+
C6	Heaters						Shovel (securely fast					+-	
C20	Wheelchair forward facing (post 1993)						Axe (securely fastene	,					
*Page n	umber reference, Standards for School Buses in not apply. ***New buses ordered after 08/15/02.*						equired to wear lap/shoul	der belts - cu			driver.		•
On fi	rst inspection, this bus is:					On re	einspection, this bus	is:					
	Approved						Approved						
H	Not Approved					ΙĦ	Not Approved						
Inspe	nspecting Patrol Officer:					Inspe	cting Patrol Officer:						
										_			
	Badge No Date					Badge	e No			Date _			
Signa	ture of District Official					Date							



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

TR-13 Revised 11/04

riigiiw	ay Fallol as soon as all delects are correc	tou.											
Instru	ictions to OPI from School District:	:											
Thi	s bus has been sold, retired, or is no longe	er in serv	ice. Ple	ase	delete it fr	om OPI	's records.						
☐ Ple	ase make corrections noted below. Don't	black ou	ut the err	or, C	PI may ne								
OPI C	County # and County Name					Distri	District Name						
OF I County # and County Name					2.00	District Hallic							
	26 Liberty					Chester Public Schools							
Vehicle I.D. # (VIN) - Entire Number Model Year					License # Rated Capacity *****								
` <i>'</i>													
4341			19	90		101		48					
Chassis Make Body			Body Mal	ke Bus Type: (see ? for definition)									
Bluebird				Bluebird □ A □ B □ C ☑ D									
Wheel Chair Lift Equipped? Wheel Chair Lift Equipped?				Bidebiid									
☐ Ye	es 🗹 No		orward	l Fa	cing								
Туре	of Fuel:	Is B	us: 🗸	Distr	ict Owned	I C	ontractor Owned If co	ntractor owned, c	ontractor's	s name	is:		
□G	as ☑ Diesel ☐ Other												
	as 💌 Diesei 🗆 Othei												
					INSPE	CTION							
		TO	BE FIL	LED	OUT BY	THE HI	GHWAY PATROL						
	This	inspect	ion is for	:	☐ 1s	t semes	ster 🗸 2nd semes	ster					
			Appro	ved						App	roved		
Page	Items listed in the Standards	Yes	No	NA	Corr	Page	Items listed in t	the Standards	Yes	No	NA	Corr	
No.*	for School Buses in Montana			**		No.*	for School Buse				**		
C17	Identification - front					C34	Belt cutter **** attache	ed					
C18	Head lamps					C18	Interior lamps						
C10	Color					C18	Ceiling - interior						
C18	Turn signal lamps - front					C21	Seating						
C18	Turn signal lamps - side (post 1987)					C14	14 Floor						
C18	Red amber signals - front					C9	Aisle Aisle						
C18	Marker lamps - front					C22	C22 Tools - storage						
C18	Windshield					C24	C24 Windows						
C24	Windshield wipers					C13	ÿ						
C20	Exterior mirrors					C13	ů ,						
C3	Battery					C12	Emergency door						
C4	Generator or alternator					C18	Red amber signals -						
C11	Service door					C18	Turn signal lamps - re	ear					
C6	Head lamp indicator					C18	Stop lamps						
C6	Horn					C18	Marker lamps - rear Strobe light - rear ***						
C20	Interior mirror					C19							
C6	Speedometer					C17	Identification - rear	aaka)					
C2	Brakes					C4	Exhaust system (no le	eaks)					
C21	Driver seat belt Steering gear	1			-	C5 C7	Fuel tank Tires (2/32" rear - 4/3	2" front min \		 	 	<u> </u>	
C13	Fire extinguisher (5 lbs)	1			-	C/	Cleanliness	2 110111 111111.)		 	 	<u> </u>	
C13	First aid kit					C22	Stop arm						
C13	Body fluids kit					C5	No trailer hitch						
C11	Defroster					00	Required by forest r	equiation:					
C6	Heaters						Shovel (securely faste						
C20	Wheelchair forward facing (post 1993)					 	Axe (securely fastene			1	1	1	
	umber reference, Standards for School Buses in I	Montana	(2002 Fdit	ion)	****Bus driv	vers are r		,	ched nearhy	/ driver	1		
Does r	not apply. *New buses ordered after 08/15/02.**	****Based	on origination	al cap	acity listed	on the m	anufacturers certification to	ag found inside the b	oned nearby	y dirver.			
On first inspection, this bus is:						On reinspection, this bus is:							
Approved Not Approved					Approved								
Not Approved				Not Approved									
Inspecting Patrol Officer:			Inspecting Patrol Officer:										
Badge No Date			Badge	e No		Date							
Signature of District Official				Date									
Signa	ure or District Official					Date							



MONTANA HIGHWAY PATROL

School Bus Inspection School Year 2005

State	
District	
County	
Patrol	
Contractor	

Helena, MT 59620-2501 This complete form is required in accordance with Section 20-10-101, MCA. All vehicles not approved on first inspection must be reinspected by the Highway Patrol as soon as all defects are corrected. Instructions to OPI from School District: ☐ This bus has been sold, retired, or is no longer in service. Please delete it from OPI's records. Please make corrections noted below. Don't black out the error, OPI may need to read it to make the correction. OPI County # and County Name District Name **Chester Public Schools** 26 Liberty Vehicle I.D. # (VIN) - Entire Number Model Year License # Rated Capacity ***** 5247 1994 44 Bus Type: (see ? for definition) Chassis Make Body Make **✓** A □в \Box C \Box D **GMC Thomas** Wheel Chair Lift Equipped? Wheel Chair Lift Equipped? ☐ Yes ✓ No ☐ Forward Facing ☐ Aisle Facing ✓ Not Applicable Type of Fuel: Is Bus: ✓ District Owned ☐ Contractor Owned If contractor owned, contractor's name is: ✓ Gas Diesel Other INSPECTION TO BE FILLED OUT BY THE HIGHWAY PATROL 1st semester ✓ 2nd semester This inspection is for: Approved Approved NΑ Items listed in the Standards Items listed in the Standards Page No NA Page Yes No Yes Corr Corr No.* for School Buses in Montana No.* for School Buses in Montana Belt cutter **** attached C17 Identification - front C34 C18 Head lamps C18 Interior lamps C18 Ceiling - interior C10 Color Turn signal lamps - front C18 C21 Seating Turn signal lamps - side (post 1987) C14 C18 Floor C18 Red amber signals - front C9 Aisle C18 Marker lamps - front C22 Tools - storage C18 Windshield C24 Windows C24 Windshield wipers C13 Warning device C20 Exterior mirrors C13 Buzzer emergency door C3 C12 Emergency door **Battery** C4 Generator or alternator C18 Red amber signals - rear Turn signal lamps - rear C11 C18 Service door C6 Head lamp indicator C18 Stop lamps C6 C18 Marker lamps - rear Horn C20 Interior mirror C19 Strobe light - rear *** C6 Speedometer C17 Identification - rear Brakes C4 Exhaust system (no leaks) Driver seat belt Fuel tank Tires (2/32" rear - 4/32" front min.) Steering gear Fire extinguisher (5 lbs) Cleanliness C13 First aid kit C22 Stop arm No trailer hitch C13 Body fluids kit C5 C11 Defroster Required by forest regulation: C6 Heaters Shovel (securely fastened) C20 Wheelchair forward facing (post 1993) Axe (securely fastened) *Page number reference, Standards for School Buses in Montana (2002 Edition). ****Bus drivers are required to wear lap/shoulder belts - cutter attached nearby driver.
Does not apply. *New buses ordered after 08/15/02.*****Based on original capacity listed on the manufacturers certification tag found inside the bus.

On first inspection, this bus is:

Approved
Not Approved
Inspecting Patrol Officer:

Badge No.

Date

Date

Date

TR-13 Revised 11/04